



***Airland  
Enterprises***

## **Crude Glycerin, Biodiesel Derived (AEI-AP600)**

### **Specification of Product**

#### **General Description**

Crude glycerine is derived from biodiesel production, therefore, there are some impurities commonly found in biodiesel manufacturing process. AEI-AP600 is a co-product from soybean oil.

#### **Specifications**

Appearance	Amber to light brown color, free of particulates, viscous liquid
Glycerin, wt% min.	82
Water, wt% max	20
Chlorides / Salts, wt% max	3.5
Total fatty acid, wt% max	0.5
Methanol, wt% max	0.18
pH:	5.0-7.5
Ash, wt% max	3.5

#### **Typical batch analysis**

Glycerin, wt%	<b>87-89</b>
Water, wt%	<b>9.5-12.0</b>
Methanol, wt%	<b>0.02-0.06</b>
Ash, wt%	<b>2.1-3.2</b>
Total fatty acid, wt%	<b>0.1</b>
Chlorides /Salts (as NaCl), wt%	<b>2.0-3.0</b>
PH:	<b>5.0-7.5</b>

#### **Disclaimer:**

This product is partially processed to reach certain grade level. The end use of this product and any written or oral information from Airland Enterprises International are without warranty, expressed or implied. This product is not intended for direct human consumption or application. For safe handling and application of this product, please refer to MSDS.